



# HAND TORCHES

## Heavy Duty Gas Cutting Torches

### Features and Benefits

- Tip mixing system
- Precisely balanced
- Heavy ribbed round handle
- Internal tip nut
- Easy grip gas valves

Each cutting torch is built to the highest standards, then stringently tested to ensure a safe, long life operation. Designed for the professional for use in industries such as metal fabrication, shipyards, salvage, construction and other general purpose uses.





## Ergonomics

### Precisely balanced, long lasting hand torches

- **Tip mixing system**

The triple-seat nozzle mixing system assures greater safety and reduces the risk of flashback and backfire.

- **Precisely balanced**

Each torch is designed to provide ease of use in any application.

- **Heavy ribbed round handle**

Provides good ventilation and a sure handed grip on the torch.

- **Internal tip nut**

Protects threads in torch head.

- **Easy grip gas valves**

Allows gloved hands to quickly and accurately set preheat flame.

## SILVER-CUT Series

- **Lightweight and compact**, well balanced hand cutting torch
- **Chrome plated tubes**
- **Triangular tube configuration**, for extra strengths



### SILVER-CUT K250

Torch length	495 mm
Weight	1.0 kg
Cutting capacity	Max. 250 mm
Torch head angle	90°
Fuel gas type	Any medium pressure fuel gas

Types	Connection	Stock #
SILVER-CUT K250	G3/8 RH-LH	80496
SILVER-CUT K250 9/16	9/16" RH-LH	80495

## MK Series

- **Expertly crafted in Japan**
- **Robust**, heavy duty hand cutting torch
- **Three stainless steel tubes**, provides strengths and durability while keeping gases separated to mix safely in the cutting nozzle
- Cutting oxygen **lever with lock function**. (excl. MK-36)
- **Die forged head**, increased strengths and service life

### MK-150



### MK-150

Torch length	466 mm
Weight	0.9 kg
Cutting capacity	Max. 150 mm
Torch head angle	90°
Torch connection	G3/8 RH-LH
Fuel gas type	Any medium pressure fuel gas

Types	Stock #
MK-150	80497

### MK-250



### MK-250

Torch length	525 mm (standard, 90° head)
Weight	1.5 kg
Cutting capacity	Max. 250 mm
Fuel gas type	Any medium pressure fuel gas

Types	Torch angle	Connection	Stock #
MK-250-75D	75°	G1/4, G3/8	80503
MK-250-90D	90°	G3/8, G3/8	80504
MK-250-180D	180°	G3/8, G3/8	DA222815

### MK-300



### MK-300

Torch lengths	661 mm (standard, 90° head)
Weight	1.55 kg
Cutting capacity	Max. 300 mm
Torch head angle	75° and 90°
Torch connection	G1/4RH, G3/8LH
Fuel gas type	Any medium pressure fuel gas

Types	Torch angle	Stock #
MK-300-75D	75°	80507
MK-300-90D	90°	80508

## MK-36



## MK-36

Torch length	915mm
Weight	1.5 kg
Cutting capacity	Max. 200 mm
Torch head angle	75° and 90°
Torch connection	G3/8 RH-LH
Fuel gas type	Any medium pressure fuel gas

Types	Torch angle	Stock #
MK-36 75D	75°	DA212825
MK-36 90D	90°	-

## Hand Torch Accessory

### ■ Dual roller guide

Enables stable cutting. Equipped with two smooth rollers and a tip holder.

	Stock #
Dual roller guide	80515



### ■ Circle bar with center pin

Attachment to dual roller guide, for circular cutting using any hand torch. Cutting diameter adjustable up to Ø 550 mm.

	Stock #
Circle bar with center pin	80516



# CNC cutting machines



KOIKE is the world's leading manufacturer of the most extensive cutting product line for oxy-fuel, plasma, and laser cutting machines.

Request your catalogue via:  
[info@koike-europe.com](mailto:info@koike-europe.com)



## EMEA Sales and Service Offices

### FRANCE

KOIKE France S.A.R.L.  
ZAC de la Vallee de L'aunelle  
RN Cellules C1 à C4  
59144 Wargnies-Le-Grand  
Office: +33 327304343

### GERMANY

KOIKE EUROPE B.V. Germany Branch Office  
Im Löchel 2  
35423 Lich-Eberstadt  
Office: +49 6004916930

### ITALY

KOIKE ITALIA Srl  
Via Papa Giovanni XXIII, n 45  
20053 - Rodano (Milano)  
Office: +39 0295328717

### UAE

KOIKE MIDDLE EAST FZE  
SAIF Zone Sharjah - UAE  
P.O. Box 122978  
Office: +971 561177615

### THE NETHERLANDS

KOIKE EUROPE B.V.  
Grote Tocht 19  
1507 CG Zaandam

T +31 (0)75 612 72 27

F +31 (0)75 612 34 61

[info@koike-europe.com](mailto:info@koike-europe.com)  
[www.koike-europe.com](http://www.koike-europe.com)